

155	able	7	A	F	aligned	No	6	2.5	12	0.6	6	4	12	0.5	1.25	3.75	92	-1	3.5	88	-0.5	3.75	94	-0.25	3.25	94	3.75	3.75	82	4	4	106	0.2	0.2	
156	able	6	W	M	aligned	No	6	6	0	0	6	5	0	0.1	7.25	1	69	7.5	1	89	7.75	0	2.75	0	2.75	0	8	0.75	88	10.3	0.75	95	0.1	0.2	
157	able	6	W	M	aligned	No	7.5	7.5	0	0.1	9.25	9.25	0	0.1	7.25	1	69	7.5	1	89	7.75	0	2.75	0	2.75	0	8	0.75	88	10.3	0.75	95	0.1	0.2	
158	able	11	W	F	aligned	No	-0.75	-2.75	12	0.2	-2.25	-4.5	12	0.3	-2.25	1	60	-8.25	2	123	-1	1.5	71	-5.25	3.25	120	-1.75	2	91	-5	2.5	94	0.0	0.1	
159	able	11	W	M	aligned	No	0.25	-4.75	12	0.4	0	0	-4	12	0.4	-0.75	2.75	60	-1	2.75	110	-1.25	3	92	-1.5	3	95	-0.5	4.25	84	-1.25	4.75	96	0.2	0.2
160	able	9	W	M	aligned	No	1.75	-2	11	0.5	-1	-3.25	1	0.5	-0.75	2.75	60	-1	2.75	110	-0.5	2.5	69	-0.75	2.75	107	0.25	3	80	1.25	2.25	123	0.3	0.3	
161	able	7	W	F	aligned	No	-1.25	-1.25	0.2	-1.25	-1.25	0.2	-0.75	0.5	86	-0.5	0.25	84	-0.5	0.5	100	-0.25	0.5	88	0.5	0.75	90	1.25	0.5	90	0.1	0.2			
162	able	6	A	M	aligned	No	4	4	4	0.4	4	1	0.1	3	1.75	133	-1.75	0	2.5	1.75	140	0	1.25	79	4.25	1.5	125	1.75	0.5	77	0.5	0.1			
163	able	30	W	F	n	Yes	-3	-3	0.5	-2	-2	0.4	-1.25	2.75	41	-2.25	5.5	125	-1.25	2.5	43	-2.5	5.25	126	0	3.25	80	-1.5	3.75	110	0.5	0.9			
164	able	14	W	M	aligned	No	0.5	-1.5	12	0.3	-0.75	-3.5	11.5	0.3	-3.5	2.25	99	-2.5	2.75	80	-2	2.25	97	-2	3	81	-1.5	3	99	-1	3	79	-0.1	0.0	
165	able	12	P	F	e	No	0.75	0.75	0	0.75	0.75	0.1	-0.25	0.25	25	-2.25	0.25	158	-0.25	0.75	101	-1	1	99	-1	0.25	106	1.5	0	0	-0.1	0.0			
166	able	10	N	F	aligned	No	0	0	0	-0.1	-0.5	-0.5	12	-0.1	-0.75	0	-1	-1	-1	-1	-1	-1	-0.25	0	-0.25	0	0	0.25	137	-0.2	-0.2	-0.2	-0.2		
167	able	9	N	M	aligned	No	-0.5	-3.25	12	0	-1	-1	-12	-0.1	-2.25	3.5	97	-1	0.75	74	-0.5	4.75	103	0.5	2.5	79	-2	4.75	95	-0.75	1.75	90	0.3	0.2	
168	able	8	W	M	aligned	No	-4	-4	0.4	-4.5	-4.5	0.4	-0.5	0	0	0	-1.25	0.25	166	-0.25	0	0.25	0.5	73	0.5	0	0.5	0	0	0	0.2	0.2			
169	able	7	W	M	e	No	-0.25	-0.25	0.3	-1	1	0.3	-0.25	0.25	78	0.75	0	-0.5	0.25	74	0.25	0.75	67	0.25	0.75	67	0.25	0.25	74	1.5	0	0.0	0.0		
170	able	6	W	F	aligned	Yes	-1	-1	0.3	-2.25	-2.25	0.4	-0.5	1.25	92	-1.75	2.25	106	-1.25	2.5	71	-1.25	2.75	101	0	1.5	106	0	1.5	98	0.1	0.3			
171	able	19	W	M	h	Yes	-0.5	-0.5	0.2	0	0	0.2	-1	0.75	67	-1	1.5	94	-0.75	1.5	91	-0.5	1.5	96	-0.75	1.25	91	-0.5	1.5	96	0.2	0.3			
172	able	18	P	M	aligned	No	0	0	0	0.25	0.25	0.1	-1.25	1	171	-1.5	1	171	0	0	0	0	0	0.5	171	0	0	0	0.5	0	0.0	0.0			
174	able	17	P	F	aligned	No	-0.5	-0.5	0.1	-0.75	-0.75	0	-1.25	0.75	94	-1	0.25	32	-1.25	1.5	97	-0.75	0.25	63	-0.75	1.25	92	0	0	0	0.0	-0.1			
175	able	9	P	F	aligned	No	-0.25	-0.25	0.1	0.5	0.5	0.2	-1.5	0	-0.5	0.5	175	0.5	0.5	75	0.75	0.75	93	0.25	0.5	92	0.5	0.25	92	-0.1	-0.1				
176	able	8	A	M	aligned	No	-4.5	-4.5	0.4	-3.75	-3.75	0.3	-4.5	0.25	176	4.5	0.25	109	-5	0.5	87	-3.5	1.25	96	-4.5	0.75	92	-4	0.75	92	-0.1	0.1			
177	able	8	W	M	e	No	2.5	2.5	0.2	3	3	0.2	-1.5	2.75	115	0.25	2.25	89	0	2	118	-1	2.5	85	4.5	2	107	4	1.25	92	0.1	0.1			
178	able	8	W	M	aligned	No	0.75	0.75	0.3	0	0	0.3	-1.5	1.75	88	-1.75	1.5	89	-1.25	2.25	90	-1	2	89	-0.5	1.75	92	-0.25	1	86	-0.1	-0.1			
179	able	14	W	F	aligned	Yes	-3.25	-3.25	1	0.1	-5.75	-5.75	0.1	-2.75	1.5	78	-5	1.25	69	-3.5	2.5	88	-6	2.5	83	-1	1.75	96	-5	2	101	0.0	0.0		
180	able	10	N	F	x	Yes	-1	-1	0.1	1.5	1.5	0.2	-2.5	3	82	-2.25	2.5	95	-1.75	4.25	93	-1.75	4	88	-1	2.5	85	-1.25	2.5	90	0.1	0.1			
181	able	9	W	F	aligned	Yes	0	0	0.1	1.25	1.25	0	-0.25	0.75	84	-0.75	0.25	53	-0.25	0.75	81	0	0.5	66	-0.5	3.25	86	1.5	1.25	85	0.1	0.1			
182	able	8	P	M	aligned	No	-0.25	-3.25	12	0.3	0.25	-2.5	12	0.3	-2.75	0.75	103	-2.75	0.5	105	-3.25	2	102	-1.75	0.5	90	-2.5	1.25	96	-1.75	1	84	0.2	0.3	
183	able	7	W	M	x	No	0.25	0.25	-0.2	-0.25	-0.25	-0.1	-1.75	0.5	164	0	0.5	2	0	0.5	158	0.25	0.25	8	0.5	0	0	1	1	0	-0.2	0.0			
184	able	4	B	F	aligned	No	0	0	0.5	-0.25	-0.25	0.3	-2.25	0	77	-3	-3.25	0.25	124	-0.25	0.5	89	0	0.5	84	-0.5	0.5	90	-0.5	0.75	100	-0.3	0.3		
185	able	4	W	F	aligned	No	3	4.5	4.5	0.3	5	5	0.3	-4	0.5	77	3	1	89	-1.25	0.75	98	0.25	1.25	96	5.5	0.5	95	5.5	0.5	85	0.2	0.2		
186	able	13	W	M	e	Yes	-1.5	-1.5	-0.2	-2.25	-2.25	0.3	1.75	0.25	85	0	0.5	93	2.5	0.25	73	2.5	0.5	120	3.5	0	3.5	0	0	-0.1	0.0				
187	able	12	A	M	aligned	No	-1.25	-1.25	-0.1	-1	-1	-0.2	-2	0.5	99	-0.5	0.25	82	0	1	89	0.5	0.75	72	0	0.75	94	0.75	0.5	90	-0.2	-0.1			
188	able	9	N	F	x	Yes	0.5	0.5	0.1	1	1	0.4	0.75	0	1	0.25	128	0.25	1.25	61	-0.75	1.75	122	0.75	0	0.75	0	0	0.3	0.3					
189	able	8	B	F	aligned	No	-2.25	-2.25	0.2	-1.5	-1.5	-0.2	3.5	1.75	81	-3	1.5	109	-1.75	1.5	93	-1.5	1.25	117	-1.5	1	77	-1	0.5	98	0.1	0.1			
190	able	7	W	M	aligned	No	-3.75	-3.75	0.3	-3.75	-3.75	-0.1	-0.25	0	0	0.75	0.25	113	0	0	1.25	0.25	124	0.75	0.25	98	0	0	0	0.2	0.4				
191	able	6	W	M	e	Yes	4.75	4.75	0.4	4.5	4.5	0.4	3.5	1.75	76	4	2	79	0.75	3	97	0.75	2	89	4	1.75	92	4.75	1.5	94	0.2	0.1			
192	able	6	P	F	aligned	No	0	0	0.3	-0.25	-0.25	0.3	0.75	2	54	0.75	1.25	96	-0.25	2.75	65	0.25	1.5	88	2	1.5	88	0.75	1	101	0.3	0.2			
193	able	12	B	F	aligned	No	0.25	-7.5	1	0.3	-2	-9.25	12	0.2	-2	3.75	72	-2	2.75	101	-1.25	5	66	-1.5	4.25	99	2.25	4	66	1.25	4.25	99	-0.1	-0.2	
194	able	7	W	M	aligned	No	-1.25	-1.25	0	-1	-1	0.1	-0.75	0.25	91	-0.25	0.25	82	-0.25	0.5	87	-0.25	0.5	87	0.25	0.5	101	0.25	0.25	94	-0.1	-0.1			
196	able	16	W	F	aligned	No	0	0	0.5	0.5	0	-1.25	0.5	106	-1.75	0.5	128	-0.75	0.5	154	-0.5	0.25	122	-0.25	0	2.25	0	0	0	0.0	0.0				
197	able	15	W	M	h	No	-0.5	-0.5	0	-1	-1	0	-0.25	0	0	-0.5	0.25	138	-0.5	0.25	97	-0.25	0.25	94	-1	0.75	96	-0.25	0.25	94	-0.1	-0.2			
198	able	15	P	M	aligned	No	-1	-1	-1	0.3	-0.5	-0.5	0.4	-2.75	0.75	90	-2.25	0.5	90	-3.5	2.75	96	-2	1	85	-2.75	1.25	93	-1.75	0.75	95	0.2	0.2		
199	able	12	W	M	e	No	-2.25	-2.25	0.2	-3	-3	-0.2	3.5	1.75	81	-3	1.5	109	-1.75	1.5	90	-0.25	2	106	-3.25	2	96	3.5	1.5	101	0.0	0.0			
200	able	10	B	M	aligned	Yes	0.1	-1	0.2	-1	-1	0.2	-3.5	3.5	83	-2.5	2.25	92	-5	5.5	89	-3.75	3.75	88	-3	3	84	-2.75	2.25	87	0.0	0.1			
201	able	14	P	F	aligned	Yes	-1.75	-1.75	0.3	-1.75	-1.75	0.4	-1.5	0	0	-1.5	0.25	132	-1	0	-1	0.25	93	-1.25	0	-1	0	-1	0	0.3	0.2				
202	able	9	W	F	aligned	No	-0.75	-4.25	12	0.5	-2.75	-5.25	12	0.3	-3.25	4	106	-3.25	3	80	-3.25	4.25	105	-2.75	3.25	80	-3.75	4.25	103	-3	3.5	92	0.1	0.1	
203	able	9	H	F	aligned	No	-1.75	-1.75	0.1	-0.75	-0.75	0.1	-1.25	0.25	115	-1.25	0	0	-0.25	0.25	111	-0.25	0.25	96	0	0.25	94	-0.25	0.25	96	0.1	0.0			
204	able	5	W	F	e	No	3.75	3.75	0.1	3.25	3.25	0.3	3.25	0	0	2.75	0.5	91	0.25	0.75	60	0.25	0.75	97	3.75	0	4	0	0	0.1	0.6				
205	able	18	W	M	e	Yes	5	5	0.4	5.25	5.25	0.4	5	1	105	6.5	0.5	108	-0.75	1	111	0.5	0.25	50	4.5	0.5	90	5.25	0	0.0	0.0	0.0			
206	able	19	H	M	aligned	No	-0.5	-5	12	0.2	-1.25	-7.75	12	0.1	-3.25	2.75	97	-3.25																	